

References

(Quoted publications from above and some relevant publications from **HITI members**)

- Albertsson, A., Bjarnason, J.Ö., Gunnarsson, T., Ballzus and C., Ingason, K. (2003), Fluid handling and evaluation, *Iceland Deep Drilling Feasibility Report*, Part III, 1-32
- Archie, G.E. (1942). The electrical resistivity log as an aid in determining some reservoir characteristics. *Journal of Petroleum Technology*, 5, 1-8.
- Becker K., **Pezard P.A.**, and the Scientific Party of Leg 111 (1989). Drilling Deep into Young Oceanic Crust, Hole 504B, Costa Rica Rift. *Reviews of Geophysics*, 27/1: 79-102.
- Bosch, D.**, Jamais, M., Boudier, F., Nicolas, A., Dautria, J.-M. and Agrinier, P. (2004). Deep and high temperature hydrothermal circulation in the Oman ophiolite; petrological and isotopic evidences. *Journal of Petrology*, 1181-1208.
- Büttner, G., and **Huenges, E.**, 2003. The heat transfer in the region of the Mauna Kea (Hawaii) – constraints from borehole temperature measurements and coupled thermo-hydraulic modeling, *Tectonophysics*, 371, 1-4, 23-40
- Dannowski, G., Untersuchung des thermo-hydraulischen Feldes und der Wärmeflussdichte in der Nähe eines aktiven Mantelplumes (Insel Hawaii) mit Hilfe von Bohrlochtemperaturmessungen, Scientific Technical Report STR02/03, GeoForschungsZentrum Potsdam
- Deltombe, J.L., Schepers R.** (2004) – *Journal of Applied Geophysics* 55 (2004) 161–172
- Deltombe J.L., Schepers R** and Stowell J. (2004). Field examples from an acoustic casing inspection tool. 7th SEGJ International Symposium Proceedings.
- Castroviejo R., **Gable R.**, Cueto R., Gounot J., Soler M., Joubert M., **Foucher J.C.**, Lopez A., Batsale J.C., Lescuyer J.L. and Fernandes M., (1995) - New insights into the exploration geology of the swipb (South West Iberian Pyrite Belt, Spain). Annual Meeting, Manchester, 18-20 déc. 95. Proceedings of Mineral Deposits Study Group.
- Correia H., **Sigurdsson O.**, **Sanjuan B.**, Tulinius H., Lasne E. (2000) - Stimulation test of a high-enthalpy geothermal well by cold water injection. Geothermal Resources Council Transactions, Davis, California, vol. 24, p. 129-136.
- Elders, W.A., **Fridleifsson, G.O.** and Saito, S. (2003). The Iceland Deep Drilling Project: Its global significance, International Geothermal Conference, Reykjavík, 2003.
- Flovenz, O.G., Georgsson, L.S., and **Arnason, K.** (1985). Resistivity structure of the upper crust in Iceland. *Journal of Geophysical Research*, Vol. 90, 10136-10150.
- Foucher J.C., Sanjuan B., Roy S.** and Guigues N. (2001) - A new device for sampling formation fluids in wells at low to intermediate depths. Congrès L'enjeu de la Mesure, organisé par l'Unesco, Paris, 14-15 juin 2001.
- Fournier, R.O. (1999). Hydrothermal processes related to movement of fluid from plastic into brittle rock in the magmatic-epithermal environment, *Economic Geology: Bulletin of the Society of Economic Geologists*, Vol. 94, 8, 1193-1211.
- Förster, A., **Schrötter, J.**, Merriam, D.F., and Blackwell, D.D. (1997): Application of optical-fiber temperature logging – An example in a sedimentary environment; *Geophysics*, 62 (4), p. 1107-1113.
- Gable R.**, Castroviejo R., **Foucher J.C.**, Cueto R., Gounot J., Batsale J.C. and Joubert M. (1995) - Innovative geothermal methodology to detect deep blind polymetallic orebodies. Annual Meeting Manchester, 18-20 déc. 95. Proceedings of Mineral Deposits Study Group, 26-27.
- Gibert, B.**, Seiplod, U., Tommasi, A. and **Mainprice, D.** (2003) Thermal diffusivity of upper mantle rocks: influence of temperature, of pressure, and of the deformation fabric, *JGR*, 108, B8, ECV 1 1-15.
- Gibert, B.** Schilling, F. Tommasi, A., and **Mainprice, D.** (2003) Thermal diffusivity of olivine single-crystals and polycrystalline aggregates at ambient conditions – a comparison. *Geophysical Research Letters*. 30, 22, SDE 9 1-5.
- Gouze Ph.**, Coudrain-Ribstein A. and Bernard D. (1994). Computation of Porosity Redistribution Resulting from Thermal Convection in Slanted Porous Layers, *J. of Geophys. Res.* 99, 697-706.
- Gouze Ph.** and Coudrain-Ribstein A. (2000). Modelling permeability changes caused by hydrothermal circulation, *Natural. Ressour. Res.* 9(2), 157-166.
- Hancock, S., Collett, T.S., Dallimore, S.R., Satoh, T., **Huenges, E.**, and **Henningses, J.** (2004): Overview of thermal stimulation production test results for the Japex/JNOC/GSC Mallik 5L-38

- Gas Hydrate Research Well.- In: Dallimore, S.R., and Collett, T.S. (eds.), Scientific Results from Mallik 2002 Gas Hydrate Production Research Well Program, Mackenzie Delta, Northwest Territories, Canada, Geological Survey of Canada Bulletin 585 (in press).
- Hennings, J., Schrötter, J., Erbas, K., and Huenges, E.** (2004): Temperature field of the Mallik gas hydrate occurrence – implications on phase changes and thermal properties.- In: Dallimore, S.R., and Collett, T.S. (eds.), Scientific Results from Mallik 2002 Gas Hydrate Production Research Well Program, Mackenzie Delta, Northwest Territories, Canada, Geological Survey of Canada Bulletin 585 (in press).
- Hennings, J., Böde, S., Schrötter, J., Erbas, K., Huenges, E.,** and the Mallik Working Group (2003): Permanent installation of fibre-optic DTS-cables in boreholes for temperature monitoring (abst.); EGS-AGU-EUG Joint Assembly (Nice, France), EGS Geophys. Research Abstracts, v.5 (CD).
- Hennings, J., Zimmermann, G., Büttner, G., Schrötter, J., Erbas, K. and Huenges, E.** (2005). Wireline Distributed Temperature Measurements and Permanent Installations Behind Casing, submitted to: *Proceedings World Geothermal Congress 2005*, Antalya (Turkey).
- Holzappel, W.B. (1969). Effect of pressure and temperature on the conductivity and ionic dissociation of water up to 100 kbar and 1000°C. *Journal of Chemical Physics*, 50, 4424-4428.
- Hurtig, E., **Schrötter, J.**, Großwig, S., Kühn, K., Harjes, B., Wieferig, W., and Orrell, R.P. (1993): Borehole temperature measurements using distributed fibre optic sensing; *Scientific Drilling*, 3 (6), p. 283-286.
- MacDonald S., **Michel K.**, Le Coq D., Boussard-Plédel C., Bureau B. (2004) - Optical analysis of infrared spectra recorded with tapered chalcogenide glass fibers. Accepted to *Optical Materials*.
- Mainprice, D.** and Munch, P. (1993). Quantitative texture analysis of anorthosite - application to thermal expansion, Young's modulus and thermal stress. *Textures and Microstructures*, 21: 79-92.
- Mainprice D.** and Humbert M. (1994) Methods of calculating petrophysical properties from lattice preferred orientation data. *Surveys in Geophysics* 15, 575-592.
- Mainprice D.** (1997) Modelling the anisotropic seismic properties of partially molten rocks found at Mid-Ocean Ridges. *Tectonophysics* 279,161-179.
- Mainprice, D.** (2000) The estimation of seismic properties of rocks with heterogeneous microstructures using a local cluster model - preliminary results. *Physics and Chemistry of the Earth*, 25,155-161.
- Mainprice, D.** and Paterson, M.S. (in press) Experimental Deformation of Flint in Axial Compression. In 'Microstructural Evolution and Physical Properties in High-Strain Zones' *Geological Society of London Special Publication* Edited by L.Burlini and D.Bruhun.
- Michel K.**, Bureau B., Boussard-Plédel, J.L. Adam (2002) - Analyse In Situ : Détection des polluants par fibre optique infrarouge. *Info Chimie Magazine*, n°443, 92-95.
- Nicolas, A. Mainprice, D.** and Boudier, F. (2003) High temperature seawater circulation throughout crust of oceanic ridges :A model derived from the Oman ophiolites. *JGR*, 108,B8, ETG 7 1-20.
- Nicholas C. Davatzes and Steve Hickman, U.S. Geological Survey Menlo Park, CA 94025 - Proceedings, Thirtieth Workshop on Geothermal Reservoir Engineering Stanford University, Stanford, January 31-February 2,2005
- Pezard P.A.**, (1990). Electrical properties of mid-ocean ridge basalts, with implications for the structure of the upper oceanic crust in Hole 504B. *JGR*, Vol. 95, B6, 9237-9264.
- Pezard P.A.**, Lovell M.A. and the Scientific Party of ODP Leg 126 (1990). Electrical Images of the Earth Crust. *EOS*, 71/20: 709-710.
- Pezard P.A.**, Ayadi M., Revil A., Bronner G., Wilkens R. (1997). Detailed structure of an oceanic normal fault: a multiscale approach at DSDP/ODP site 504. *Geophysical Research Letters*, 24/3: 337-340.
- Pezard, P.A.**, (1990). Electrical properties of mid-ocean ridge basalts, with implications for the structure of the upper oceanic crust in Hole 504B. *Journal of Geophysical Research*, Vol. 95, B6, 9237-9264.
- Revil A., **Pezard P.A.** (1998). Streaming potential anomaly along faults in geothermal areas. *Geophysical Research Letters*, 25: 3197-3200.
- Rutter E.H. and **Mainprice, D.** (1978) . The effect of water on the stress relaxation of faulted and unfaulted sandstone. *Pure and Applied Geophysics*, 111, 634-654.
- Rybach, L., and Muffler, L.P.J. (1981). *Geothermal Systems - Principles and Case Histories*. Wiley Interscience, London, 359 pp.

- Sanjuan B.**, Lasne E. and Brach M. (2001) - Bouillante geothermal fluid : mixing and water/rock interaction processes at 250°C. Proceedings of the 10th International Symposium on Water-Rock interaction WRI-10, Ed. R. Cidu, Villasimus, Italy, July 10-15, 2001, 911-914.
- Sanjuan B.**, Rose P., **Foucher J. C.**, Brach M. and Braibant G. (2004) - Tracer testing at Soultz-sous-Forêts (France) using Na-benzoate, 1,5 and 2,7-naphthalene disulfonate. Proceedings 29th Workshop on Geothermal Reservoir Engineering, Stanford University, Stanford, California, January 26-28, 2004, 222-229.
- Sanjuan B.**, Millot R., Brach M., **Foucher J.C.**, Roig J.Y. and Baltassat J.M. (2005) - Geothermal exploration in the Mount Pelée volcano-Morne Rouge and Diamant areas (Martinique, West French Indies): Geochemical data. Proceedings World Geothermal Congress 2005, Antalya, Turkey, 24-29 April 2005, 12 p.
- Steiner H., Jakusch M., Kraft M., Karlowatz M., Baumann T., Niessner R., Konz W., Brandenburg A., **Michel K.**, Boussard-Plédel C., Bureau C., Lucas J., Reichlin Y., Katzir A., Fleishmann N., Staubmann K., Allabashi R., Bayona J.M., Mizaikoff B. (2003) - In Situ sensing of volatile organic compounds in groundwater: First field tests of a mid-infrared fiber optic sensing system. Applied spectroscopy, vol. 57, n°6, 607-613.
- Steingrimsson B., Gudmundsson A., Franszon H. and Gunnlaugsson E., Evidence of a supercritical fluid at depth in the Nesjavellir field. Proceedings, 15th Workshop on Geothermal Reservoir Engineering, Stanford University. Stanford, California, January 23-25, 1990. pp 81-88. SGP-TR-30.
- Twose, C., Parker, R., Okabe, T., Kirihara, K., Nakata, H., Kondo, T., Karasawa, H. and Cappetti, G. (2000). Development of a high temperature borehole fluid sampler and its field experiments in the Larderello geothermal field, Italy. *Proceedings World Geothermal Congress 2000*, Kyushu – Tohoku, Japan.
- Wisian, K.W., Blackwell, D.D., Bellani, S., Henfling, J.A., Normann, R.A., Lysne, P.C., Förster, A., and **Schrötter, J.** (1998): Field comparison of conventional and new technology temperature logging systems; *Geothermics*, 27 (2), p. 131-141.